Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

THE UNIVERSITY OF THE STATE OF NEW YORK
Regents of The University

Carl T. Hayden, *Chancellor*, A.B., J.D. ..... Elmira
Diane O'Neill McGivern, *Vice Chancellor*, B.S.N., M.A., Ph.D. . Bayside
J. Edward Meyer, B.A., LL.B. ..... Chappaqua
Adelaide L. Sanford, B.A., M.A., P.D. ..... Hollis
Saul B. Cohen, B.A., M.A., Ph.D. ..... New Rochelle
James C. Dawson, A.A., B.A., M.S., Ph.D. ..... Peru
Robert M. Bennett, B.A., M.S. ..... Tonawanda
Robert M. Johnson, B.S., J.D. ..... Lloyd Harbor
Anthony S. Bottar, B.A., J.D. ..... Syracuse
Merryl H. Tisch, B.A., M.A. ..... New York
Harold O. Levy, B.S., M.A. (Oxon.), J.D. ..... New York
Ena L. Farley, B.A., M.A., Ph.D. ..... Brockport
Geraldine D. Chapey, B.A., M.A., Ed.D. ..... Belle Harbor
Ricardo E. Oquendo, B.A., J.D. ..... Bronx
Eleanor P. Bartlett, B.A., M.A. ..... Albany
Arnold B. Gardner, B.A., LL.B. ..... Buffalo

President of The University and Commissioner of Education
Richard P. Mills

Chief Operating Officer
Richard H. Cate

Deputy Commissioner for Elementary, Middle, Secondary, and Continuing Education
James A. Kadamus

Assistant Commissioner for Curriculum, Instruction, and Assessment
Roseanne DeFabio

The State Education Department does not discriminate on the basis of age, color, religion, creed, disability, marital status, veteran status, national origin, race, gender, genetic predisposition or carrier status, or sexual orientation in its educational programs, services, and activities. Portions of this publication can be made ab2d/MCID 34ispos

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

INTRODUCTION and OVERVIEW

As modern laboratory courses and programs emphasize a "hands-on" approach, a common problem for many school district personnel is the safe storage of chemicals in the school science laboratory. Often incompatible chemicals are found next to each other on shelves rather than locked in approved safety storage cabinets. The shelving may be inappropriate and unsafe. Aging chemicals may need to be replaced or discarded (disposal options must be approved and safe). Often chemical inventories are nonexistent or incomplete. Chemicals, when not in use, are found or stored in the classroom rather than in safety storage cabinets or other locked and ventilated storage areas. Chemicals are found stored on the floor or under a sink. Reagent bottles are unlabeled, or a warning or storage code is omitted from the label. These practices may result in serious injury to students and staff.
Regulations and guidelines promote safe practices for the *how* and *where* of the storage of hazardous chemicals. Federal and state laws, and regulating agencies give direction in how and where hazardous chemicals may be stored. These guidelines have been developed under the standards and regulations set forth by the Occupational Safety And Health Act of 1970, Title 29 of the Code of Federal Regulations (29CFR), the Uniform Fire Code (UFC) and the Resource Conservation and Recovery Act of 1976 (RCRA). Additional sources of information, such as consultations and publications from the American Chemical Society and the National Science Teachers Association, were used in the development of the guidelines.

The issue of safe storage involves factors such as placement and spacing (e.g., compatibility), security and arrangement (e.g., inventory), ventilation, and fire protection. Corrosive chemicals and flammable liquids present the greatest storage problem; they should never be stored together. Storage in separate, approved safety storage cabinets is highly recommended. Oxidizers, irritants, carcinogens, pyrophorics, and toxic chemicals pose additional storage problems. The incompatibility of certain chemicals may introduce unsuspected hazards into the school science laboratory, e.g., accidental production of a hypergolic mixture, such as magnesium powder and perchloric acid, will cause spontaneous ignition. The term " chemical inventory" may apply to both shelf arrangement and/or record keeping. Shelf arrangement of compatible chemical families should follow recommended patterns using appropriate compatible family codes. Record keeping should entail detailed accounts of date and quantities at receival, quantities remaining, shelf life, hazards, family codes, etc.
To assist school personnel in adhering to regulations, guidelines have been prepared in table format by classroom type and topic. Where appropriate each guideline is listed with a publication referring to a source of law, regulation, or mandate on chemical storage to assist in documentation of compliance. A section with answers to common questions is also provided.

STORING CHEMICALS IN CLASSROOMS AND STORAGE AREAS

When chemicals are not in use in the classroom they should be stored in accordance with the guidelines set forth by the Commissioner of Education. To assist in determining applicable regulations, the following designations of classroom types based on relevant standards have been assigned: **General Classrooms**; **Science Classrooms/ Laboratories**; **Storage/Prep Rooms**. These classification types have no other purpose than to assist in the limited or the long term storage of chemicals in school buildings.

Type I - General Classrooms

General classrooms shall be classified as any classrooms (K-12) that are not designated as a science room, but are being used for demonstrations or hands-on science. For example, these may be classrooms

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Guidelines for Storing Chemicals in Classrooms and Storage Areas

TYPE I: GENERAL CLASSROOMS

Type I: General Classrooms: Placement and Spacing of Chemicals

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Type I: General Classrooms: Ventilation			
ITEM	**CONDITION**		
	CITATION	**EXISTS**	**LACKING**

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Type II: Science Classrooms/Laboratories: Placement and Spacing of Chemicals			
ITEM	**CONDITION**		
	CITATION	**EXISTS**	**LACKING**
25. Water-reactive chemicals shall be placed in a cool, dark location, and protected from exposure to water emanating from accidental spills, leaks, and automatic sprinkler systems.	NSTA-SSC (81) NFPA 45: 7-2.1.2 (96)		
26. Chemical wastes shall be placed in containers that are designated specifically for their storage, segregated from all other chemicals, and placed according to their compatibility.	NFPA 45: 7-2.1 (96)		
27. Flammable/combustible liquids which require cooling shall be stored in explosive-proof refrigerator units which meet NFPA 45: 9-2.2.2 specifications.	NFPA 45: 9-2.2.2 (96)		
28. Chemicals shall not be stored in the same refrigerator units used for the storage of food to be eaten by humans.	NRC-PPHHCL p. 24 (81)		

Type II: Science Classrooms/Laboratories: Arrangement			
ITEM	**CONDITION**		
	CITATION	**EXISTS**	**LACKING**
1. Incompatible materials must be segregated to prevent accidental contact with one another. Chemicals shall be stored according to the patterns in "School Science Laboratories: A Guide to Some Hazardous Substances" or another similar storage scheme.	NFPA 45: 7-2.3.4 (96) CSSS-SSL: GHS		
2. Oxidizing acids shall be placed in dedicated storage cabinets, segregated from organic acids and flammable/combustible chemicals.	NSTA-SSC (81)		

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

ITEM	CONDITION		
	CITATION	EXISTS	LACKING
1. In a classroom where chemicals are to be stored, a portable fire extinguisher with a minimum rating of 2A, 20BC shall be provided. Combinations of other extinguishers may be used, provided the ratings of these extinguishers meet or exceed the 2A, 20BC requirement.	NYSUFPBC §1163.13(f) NFPA 10: 2-2.1 (88) NFPA 10: 3-2.1 (88) NFPA 10: 3-3.1 (88) NFPA 10: 3-5.1 (88)		
2. Portable fire extinguishers shall be maintained in a fully charged and operable condition and kept in their designated place at all times when not in use.	NFPA 10: 1-6.2 (98)		
3. Portable fire extinguishers shall be conspicuously located where they are readily and immediately available in the event of a fire.	NFPA 10: 1-6.3 (98)		
4. Portable fire extinguishers shall not be obscured from view.	NFPA 10: 1-6.5 (98)		
5. At least one (1) approved fire blanket must be provided for each room.	NYSMPSS 110-7		
6. Written procedures for fire emergencies shall be developed.	29 CFR 1910.38		
7. Employers shall provide training initially, and on an annual refresher basis, for all personnel who may be involved in firefighting activities.	29 CFR 1910.157 (g)		
8. The employer shall be responsible for the inspection, maintenance, and testing of all portable fire extinguishers in the workplace.	29 CFR 1910.157 (e) (1)		
9. Science classrooms and laboratories shall be separated from adjoining non-laboratory areas by a minimum one-hour, fire-rated construction.	NFPA 45: 3-1.3 (96)		
10. Penetrations of fire-rated floors, ceilings, or wall assemblies shall be protected so as to retain the required fire resistance rating.	NFPA 45: 3-1.8 (96)		
11. Automatic fire protection systems, when provided, shall comply with all NFPA standards.	NFPA 45: 6-10.2 (96)		
12. An automatic and manual fire alarm system shall be installed in case a fire, by itself, would not provide adequate warning to building occupants.	NFPA 45: 4-5.1 (96) NYSUFPBC §1060.3 (b), NYSUFPBC §1163.13(g)		

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Type III: Storage/Prep Rooms: Fire			
ITEM	**CONDITION**		
	CITATION	**EXISTS**	**LACKING**
7. Employers shall provide training initially, and on an annual refresher basis, for all personnel who may be involved in firefighting activities.	29 CFR 1910.157 (g)		

Appendix

COMMON QUESTIONS

A) APPLICATION OF EDUCATION LAW §305(19)

1) **Question: What is a chemical?**
   Answer: All substances (solids, liquids, and gases) purchased from supply companies and retail stores and used in science instruction, as well as chemicals used in cleaning, are considered to be chemicals according to this act. Animals and plants are not considered to be chemicals.
2) **Question: What chemicals in a biology or physics laboratory fall within the requirement of this law?**
   Answer: All chemicals as defined by the act.
3) **Question: Does the law apply to food grade chemicals that can be obtained in a grocery store?**
   Answer: Yes, all chemicals are hazardous when handled improperly. Even the ingestion of salt, if taken in large enough amounts, can endanger a student's life. In addition the accidental mixing of various chemicals can produce poisonous chlorine gas. The possibilities for unsupervised exploration, which could result in injury to a student, are greatly reduced when chemicals are locked in specific storage areas.
4) **Question: Does the law apply to chemicals in elementary science kits that are leased by a school district?**
   Answer: Yes.
5) **Question: Does the law apply to preserved biological specimens?**
   Answer: Yes, if the specimen contains chemicals that are considered toxic, flammable, or irritating, or if the chemicals pose physical and/or health hazards. Since most preserved specimens have more than 3% formaldehyde, all containers that hold such specimens shall be labeled "possible carcinogen."

6) **Question: Does the law apply to science equipment such as microscopes and oscilloscopes or supplies such as glassware and toothpicks?**
   Answer: No.
7) **Question: Does the law apply to rock and minerals?**
   Answer: In most cases the law does not apply, unless a specific substance is known to pose a physical and/or health hazard (e.g., asbestos and heavy metals).

B) PLACEMENT AND SPACING OF CHEMICALS

I) Shelves And Cabinets

1) **Question: What is the recommended way to store chemicals in cabinets and shelves?**
   Answer: Containers of chemicals should be stored no more than two deep on a shelf. When storing the small bottles that come in science kits, it may not be practical to store them this way, especially if your shelves are deep. When it is not practical to follow the above recommendation, the containers of chemicals should be placed according to size. Place large containers toward the back of the shelf and smaller containers in front.

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Adequate space should be allowed between the containers so that a container can be easily grasped without dislodging the container on each side. A space of at least one-inch should exist between containers.

8) **Question: How do I store hazardous materials?**
Answer: Safe storage facilities must be provided for materials having unique hazardous properties, such as temperature sensitivity, water reactivity, or explosive potential

9) **Question: How should acids be stored?**
Concentrated acids in quantities of one pint or more are to be stored in special acid cabinets that are vented. Nitric acid is to be stored in a special cabinet.

10) **Question: How do I store flammable liquids?**
Answer: For classroom use, flammable liquids shall be in containers no larger than one gallon.

The allowed quantity of flammable liquid in an individual container depends on:
a. The flammability of the liquid
b. The material and construction of the container (see NFPA 45 for details).
The total quantity of flammable liquids that may be stored in laboratories or chemical storerooms (either inside or outside approved cabinets for the storage of flammables) depends on the flammable/combustible classification of the liquid (see NFPA 45 for quantities).

11) **Question: What procedures should be followed for the continued storage of hazardous chemicals?**
Answer: Containers of materials that may become hazardous upon prolonged storage shall be dated when first opened. At the end of six months, the material shall be evaluated or tested for continued safe use. Material found to be safe or material that can be treated to make it safe may be re-dated and retained for an additional six-month period. All other material shall be safely discarded.

12) **Question: Why is it hazardous to store chemicals where other equipment and supplies are located?**
Answer: There is a greater danger of fire that will produce life-threatening fumes. Many chemicals produce fumes that can attack other items stored in that area, such as connections for AV equipment or electrical wiring.

13) **Question: Why must chemicals be stored away from sunlight? Does that mean I can no longer store chemicals in cabinets that have glass door fronts?**
Answer: A number of chemicals decompose when exposed to ultraviolet rays. Check the Material Safety Data Sheet (MSDS), which should accompany any chemical you purchased, for this information. Direct exposure can also warm the containers of chemicals to dangerous levels, resulting in spontaneous combustion of some chemicals. For safety, store chemicals in the dark.

For cabinets that have glass fronts, place covering material on the inside or outside of the glass in order to shut out the light.

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

14) Question: What is the ideal temperature at which to store chemicals?

Answer: Ideally, chemicals should be stored in areas where the temperature range is between 55°F (18°C) and 80°F (27°C).

15) Question: How can I protect chemicals from dampness and humidity, especially during summer months?

Answer: Some chemicals are hygroscopic and absorb moisture immediately on exposure to air. For this type of chemical, place the container in a plastic bag and seal the bag with a twist tie before putting it on

Ans.0002 T0 Tc 0 Tw 285.78 0.6 refBT0 g/TT0e8l°F s.0002 T0 Tc 0 Tw 285.78 srw 28amsc.-tyag 4.5

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

21) Question: I thought acids neutralize bases, so why must they be separated in the storage area?

Answer: Acids and bases, especially concentrated ones, can react violently with each other. This reaction can generate intense heat and cause a great deal of spattering.

22) Question: Why must some acids be stored separately from one another?

Answer: It is important to isolate some acids from each other. Oxidizing acids such as nitric acid can react violently with some organic acids such as acetic acid.

23) Question: What are some of the active metals and other chemicals that should be segregated from acids?

Answer: Active metals such as sodium, potassium (these metals should NOT be found in schools any longer) and magnesium react violently with acids. Other chemicals such as sodium cyanide, iron sulfide, and calcium carbide react with acids to produce toxic or flammable gases.

24) Question: What are toxic chemicals, and what is the best way to store them?

Answer: Toxic chemicals include those which are highly poisonous, carcinogenic, or mutagenic. These chemicals are best stored in a specifically designated cabinet, away from other chemicals. Remember to take compatibility into account when placing these chemicals in storage. If it is not feasible to store toxic chemicals in a designated cabinet, segregate them by placing each container in a clearly labeled, unbreakable secondary container.

25) Question: What are some of the most common peroxide-forming chemicals found in schools?

Answer: Isopropyl ether, ethyl ether, p-dioxane, and potassium metal are the most common sources of peroxides found in schools. Potassium metal that is stored over a long period of time forms a crust that may contain peroxides, which can explode when small pieces of the metal are used for demonstration.

26) Question: Why must compressed gas cylinders be stored alcium csrom acids?

Answer: When they are in locked cabinets and/or locked storage areas.

2) **Question: Can chemicals be stored on open shelves in the classroom?**
Answer: No.

3) **Question: When must chemicals be stored securely?**
Answer: When chemicals are not being used, they must be stored and locked up.

4) **Question: How secure must stored chemicals be in our science facility?**
Answer: The answer depends on the facilities that the teacher has access to:

a. *Situation I*: If you do not have storage cabinets with locks in your classroom, all chemicals must be stored in a locked storage room.

b. *Situation II*: If you do not have a storage room in your facility, you must store your chemicals in locked cabinets. If your cabinets have glass doors, place posters on the glass so that the chemicals are out of sight. The chemicals stored in the classroom shall be locked at ALL times.

c. Situation III: If you have a science storage room, the door to the storeroom must be locked at all times. Though it is not necessary that chemicals be in locked cabinets in a chemical storage room, it is advisable.

5) **Question: Is a student project room considered a science facility?**
Answer: Yes. If chemicals are used by students in the project room or any other room, such rooms shall comply with the guidelines. The chemicals shall be stored in cabinets that are locked.

6) **Question: We only have a few other chemicals in our elementary school classroom** c. Situation

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines

Chemical Storage Guidelines

Location: http://www.emsc.nysed.gov/ciai/mst/sci/ls then <left click> on Chemical Storage Guidelines
File: http://www.emsc.nysed.gov/ciai/mst/sci/chemstorguid.html

Determination Of The Shelf Life Of A Chemical	
Designation	**Shelf Life**
Good	Fair if kept moisture free
Good when stored properly	Fair if stored properly
Good if kept tightly closed	Fair if kept dry
Good if kept sealed	Poor, decomposes gradually with time (abide by label's expiration date)
Good if kept dry	

28) Question: How should I keep the record of a chemical's quantity in the inventory?

Answer: When you receive a chemical bottle, record its mass or volume and mark the bottle at the full level. This will make it easier for you to estimate the quantity remaining when you do your annual inventory.

29) How often does one indicate the quantity remaining on the inventory?

Answer: You should indicate the quantity remaining each year when you prepare the inventory. Make sure the date of the inventory is recorded.

30) Question: How should one indicate the chemical's location?

Answer: The location should designate both the room location and the cabinet location.

31) Question: How are several bottles or containers holding the same chemical to be handled in the inventory?

Answer: The information pertaining to EACH bottle or container is to be recorded on the inventory.

32) Question: What date of receival do I use in the inventory for chemicals that I have in stock?

Answer: If you have recorded a date for chemicals already in stock, that date should be entered into the inventory. All chemicals received after December 31, 1991, must have their dates of receival recorded in the inventory. Chemicals in stock prior to December 31, 1991, for which the dates of receival are unknown, are to be designated "pre-1992."

33) Question: Can my inventory be only on a computer disk?

Answer: No. There must be a hard copy of the inventory that is in a secure location, where it is available for inspection by the Commissioner of Education. An additional hard copy of the inventory should be placed in a second secure

02 Tc -0.1 TJ/T89i1nc -14.4 TJ0.0004 Tc -0.0016 Tre M8h3(30D 22 >>cond secein ')Tjein ' . A

Chemical Storage Guidelines

Location: